Application Instructions

Before applying the brace, please read these instructions completely and carefully. Correct application is vital to the proper functioning of the brace.

INDICATIONS: Management of edema and fracture healing • Acute Ankle sprains • Soft tissue injuries of the lower leg • Stress fractures of the lower leg • Stable fractures of the foot and ankle • Stable delayed union or non-union fractures of the distal tibia and fibula • Achilles tendon repairs • Bunionectomies • Metatarsal Fracture • Forefoot, midfoot and hindfoot injury • CONTRAINDICATIONS: Application of this device is recommended only when the fracture is demonstrably stable and there are

CONTRAINDICATIONS: Application of this device is recommended only when the fracture is demonstrably stable and there are acceptable limits of angular and rotational deformity. The determination of when to apply the brace rests strictly at the discretion of the treating physician.

This product was designed to complement the variety of medical treatments common to the above afflictions.

The frequency and duration of use should be determined by your prescribing Healthcare professional.

Inflate and deflate bladder once before use to ensure integrity of air chambers.

A	В	C	D	E	F
For first time application,	Place foot in liner and secure	Spread the uprights using both	Secure boot straps, starting at	To inflate air liner press and	To release air from the
loosen straps and remove	with contact closure. Make	hands and stop into boot,	the toes and working up the	release the air bulb several	walker liner, turn the
liner from boot.	sure the heel fits snugly into	aligning uprights with midline	leg.	times until liner is providing	inflation/deflation knob
	the posterior portion of the	of the ankle.		comfortable cushion and	several times counter-
	liner. Fasten the foot flaps on			support. DO NOT OVER	clockwise. When re-inflating,
	the liner first, making sure	Note: If uprights have plastic		INFLATE.	, turn knob clockwise until
	they are snug. Wrap and	tube liner, remove them now			snug. Release air if liner
	fasten the leg portion of the	to affix upright to liner.			feels too tight.
	liner, again making sure that it				Caution: If liner feels too
	is snug from bottom to top.	× \ Y = 1	/ /	/ /	tight while wearing product, deflate the liner by turning
	/ /	116	/ /		inflation/deflation knob
				<u></u>	counter clockwise. Consult
					your medical professional
				011	immediately.
V / (3)				000	
/ 1	7				
723		2007		200	(IMPLATE)
				ALC: NEWS	